



TC- 5160

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133

REPORT ISSUE DATE: 18.04.2026

CLIENT/ISSUED TO	YOUR REF:	SCR
M/s. MANDYA ORGANIC FOODS PRIVATE LIMITED	DATED:	03/04/2026
444, S I Kodihalli Gate, Banasvadi Gate	ULR NO:	TC516026000014438F
Keragodu Hobli, Hulivana, Mandya 571446	-	-
Karnataka KA, India, GSTIN: 29AAKCM1939M1ZT	-	-

DETAILS PROVIDED BY CUSTOMER:

NAME OF THE PRODUCT	Organic Mandya Desi A2 Set Curd
SAMPLE DETAILS	B. No: B60331 DOM: 02/04/2026 Use By: 16/04/2026
TEST REQUIRED	Biological & Chemical Test
ANY OTHER INFORMATION	Sample Collected by Intertek Lab Representative: Mr. Naveen Sample Collected Date: 03.04.2026 & Time: 11:00am To 12:00pm Sample Collected Location: Mandya.

LAB INFORMATION:

SAMPLE REGISTRATION NUMBER	IFSH-260409133		
SAMPLE REGISTRATION DATE	09/04/2026		
ANALYSIS STARTING DATE	09/04/2026	ANALYSIS COMPLETION DATE	16/04/2026
SAMPLE QUANTITY RECEIVED	500gm X 1no	SAMPLE CONDITION	Intact
SAMPLE RECEIPT DATE	04/04/2026	REPORTING CODE	FS/CR/DR

OTHER INFORMATION:

Analytical Report

Discipline: Biological testing

Product Group: Food and Agricultural Products

S. No	Test Parameter	Method	Unit of Measurement	MOU	As per FSSR 2011 Specifications	Result
1	Aerobic plate count	IS 5402(P-1):2021	cfu/g	-	NA	2350000
2	Coliform count	IS 5401 (P-1) :2012	cfu/g	3.2log±0.82log	10	<10
3	Staphylococcus aureus	IS: 5887 (P-2):1976	cfu/g	2.0log±0.01log	10	<10
4	Yeast & Mould	IS 5403:1999	cfu/g	3.9log±0.09log	50	<10
5	E. coli	IS: 5887 (P-1):1976	Per g	-	Absent	Absent
6	Salmonella	IS 5887 (P-3/Sec-1):2020	Per 25g	-	Absent	Absent
7	Listeria monocytogenes	IS:14988 (P-1):2020	Per 25g	-	Absent	Absent
8	Bacillus cereus	IS: 5887 (P-6):2012	cfu/g	-	NA	<10
9	Sulphite reducing clostridia	ISO: 15213-1:2023	cfu/g	-	NA	<10
10	Enterobacter sakazakii	ISO:22964 :2017	Per 10g	-	NA	Absent

Discipline: Chemical testing

Product Group: Food and Agricultural Products

S. No	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	LOQ	Result
1	Milk fat	IS 11721:2013	%	NLT 3.0 and NMT 15.0	0.1	4.11
2	Milk Solids non fat	FSSAI 01.025:2022	%	MIN 8.5	0.5	8.80
3	Milk Protein	FSSAI 01.036:2022	%	MIN 2.9	0.05	3.62
4	Titrateable acidity	FSSAI 01.035:2022	%	MIN 0.6	0.1	0.80

Instrument Used: HPLC





TC- 5160

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133

REPORT ISSUE DATE: 18.04.2026

Discipline: Chemical testing

Product Group: Residues and contaminants in Food and Agricultural Products

S. No	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	MOU	LOQ	Result
1	Lead a Pb	IFSH/SOP/C/TE/165	mg/kg	Max 2.5	-	0.01	Not Detected
2	Arsenic as As	IFSH/SOP/C/TE/165	mg/kg	Max 1.1	-	0.01	Not Detected
3	Cadmium as Cd	IFSH/SOP/C/TE/165	mg/kg	Max 1.5	-	0.01	Not Detected
4	Mercury as Hg	IFSH/SOP/C/TE/165	mg/kg	Max 1.0	-	0.01	Not Detected
5	Tin	IFSH/SOP/C/TE/165	mg/kg	Max 250	-	0.01	Not Detected
6	Copper as Cu	IFSH/SOP/C/TE/165	mg/kg	Max 30	-	0.05	Not Detected
7	Methyl Mercury as element	IFSH/SOP/C/TE/181	mg/kg	Max 0.25	-	0.10	Not Detected
8	Copper Hydroxide (Copper determined as elemental copper)	IFSH/SOP/C/TE/165	mg/kg	30 Max (Elemental copper)	-	0.05	Not Detected
9	Copper Oxychloride (Copper determined as elemental copper)	IFSH/SOP/C/TE/165	mg/kg	30 Max (Elemental copper)	-	0.05	Not Detected
10	Copper Sulphate (Copper determined as elemental copper)	IFSH/SOP/C/TE/165	mg/kg	30 Max (Elemental copper)	-	0.05	Not Detected
11	Cuprous Oxide (Copper determined as elemental copper)	IFSH/SOP/C/TE/165	mg/kg	30 Max (Elemental copper)	-	0.05	Not Detected

Instrument Used: ICP-OES, ICP-MS-IC.

Discipline: Chemical testing

Product Group: Residues and contaminants in Food and Agricultural Products

S. No	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	MOU	LOQ	Result
1	Melamine	IFSH/SOP/C/TE/003	µg/kg	2500	-	1.00	Not Detected

Instrument Used: LC-MS/MS

Discipline: Chemical testing

Product Group: Residues and contaminants in Food and Agricultural Products

S.No	Test Parameter	Method	Unit of Measurement	LOQ	As per FSSR 2011 Specifications	Result
1	Agaric Acid	IFSH/SOP/C/TE/121	mg/kg	50	-	Not Detected
2	Hydrocyanic Acid	AOAC 915.03 22 nd edition: 2023	mg/kg	3	-	<3
3	Hypericine	IFSH/SOP/C/TE/122	mg/kg	0.5	-	Not Detected
4	Saffrole	IFSH/SOP/C/TE/130	mg/kg	0.01	-	Not Detected

Instrument used: HPLC, GC-MS/MS

Discipline: Chemical testing

Product Group: Residues and contaminants in Food and Agricultural Products

S. No	Test Parameter	Method	Unit of Measurement	MOU	As per FSSR 2011 Specifications	LOQ	Result
1.	Aflatoxin M1	IFSH/SOP/C/TE/010	µg/kg	-	-	0.2	Not Detected

Instrument Used: LC-MS/MS





TC- 5160

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133

REPORT ISSUE DATE: 18.04.2026

Discipline: Chemical testing

Product Group: Residues and contaminants in Food and Agricultural Products

S.No.	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	MOU	LOQ	Result
1.	Acephate	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
2.	Acetamiprid	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
3.	Bifenthrin	IFSH/SOP/C/TE/008	mg/kg	0.2	-	0.01	Not Detected
4.	Bitertanol	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
5.	Buprofezin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
6.	Carbaryl	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
7.	Carbendazim	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
8.	Carbofuran	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
9.	Carbosulfan	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
10.	Chlorantraniliprole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
11.	Chlorfenapyr	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
12.	Chlorothalonil	IFSH/SOP/C/TE/008	mg/kg	0.07	-	0.01	Not Detected
13.	Chlorpyrifos	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
14.	Chlothianidin	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
15.	Cypermethrin	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
16.	Deltamethrin (Decamethrin)	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
17.	Dichlorvos	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
18.	Difenoconazole	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
19.	Dimethoate	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
20.	Dimethofuran	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
21.	Edifenphos	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
22.	Emamectin Benzoate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
23.	Ethion	IFSH/SOP/C/TE/008	mg/kg	0.5	-	0.01	Not Detected
24.	Fenpropathrin	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
25.	Fenvalerate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
26.	Fipronil	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
27.	Flubendiamide	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
28.	Flusilazole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
29.	Imidacloprid	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
30.	Indoxacarb	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
31.	Malathion	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
32.	malaoxon	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
33.	Methomyl	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
34.	Methyl Parathion (Paraxon Methyl)	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
35.	Monocrotophos	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
36.	Myclobutanil	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
37.	Novaluron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
38.	Oxydemeton-Methyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
39.	Penconazole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
40.	Phenthoate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
41.	Phorate	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
42.	Phosalone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
43.	Pirimiphos-methyl	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
44.	Profenofos	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
45.	Propiconazole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
46.	Pyraclostrobin	IFSH/SOP/C/TE/008	mg/kg	0.03	-	0.01	Not Detected





TC- 5160

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133

REPORT ISSUE DATE: 18.04.2026

S.No.	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	MOU	LOQ	Result
47.	Spinosad	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
48.	Tebuconazole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
49.	Thiacloprid	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
50.	Thifluzamide	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
51.	Thiometon	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
52.	Thiophanate-Methyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
53.	Trichlorfon	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
54.	Triadimefon	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
55.	Banned Pesticides						
56.	Aldicarb	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
57.	Aldrin, Deldrin	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
58.	Chlordane (cis & Trans)	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
59.	Heptachlor	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
60.	Lindane (Gamma-HCH, alpha HCH, Beta HCH & Delta HCH)	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
61.	Endosulfan (alpha endosulfan, beta endosulfan, endosulfan sulphate)	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
62.	Carbofuran	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
63.	Methomyl	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
64.	Phosphamidon	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
65.	Formothion	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
66.	Simazine	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
67.	Diazinon	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
68.	DDT (ISOMERS)						
	2,4-DDD	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
	4,4-DDD	IFSH/SOP/C/TE/008	mg/kg		-	0.01	Not Detected
	2,4-DDT	IFSH/SOP/C/TE/008	mg/kg		-	0.01	Not Detected
	4,4-DDT	IFSH/SOP/C/TE/008	mg/kg		-	0.01	Not Detected
	2,4-DDE	IFSH/SOP/C/TE/008	mg/kg		-	0.01	Not Detected
	4,4-DDE	IFSH/SOP/C/TE/008	mg/kg		-	0.01	Not Detected
69.	Fenitrothion	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
70.	Fenthion (Sum of Fenthion, sulphone & sulphoxide)	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
71.	Methyl parathion	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
72.	Monocrotophos	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected

Instrument Used: GC-MS/MS, LC-MS/MS, ICP-OES.





TC- 5160

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133

REPORT ISSUE DATE: 18.04.2026

Note-01: The above results relate only to the sample tested.

Note-02: The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context.

Note-03: Measurement uncertainty is included to the reported results and decision rule is applied where ever applicable (AS Per MSP) IFSH/MSP/QU/026.

Remarks: The above submitted sample conforms As per FSSR 2011 Specifications requirements for the above mentioned test parameters, where ever applicable.

*****END OF TEST REPORT*****

Authorized Signatory

G.Sonia Kumari

Assistant Manager -Microbiology

Registered Office
Intertek India Pvt. Ltd. E-20, Block- B1, Mohan Co-operative Industrial Area, Mathura Road, New Delhi - 110044, India

CIN No.: U74220DL1997PTC202243

Authorized Signatory

CH. Shravan Kumar

Technical Manager



TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133-N

REPORT ISSUE DATE: 18.04.2026

CLIENT/ISSUED TO	YOUR REF:	SCR
M/s. MANDYA ORGANIC FOODS PRIVATE LIMITED	DATED:	03/04/2026
444, S I Kodihalli Gate, Banasvadi Gate	ULR NO:	-
Keragodu Hobli, Hulivana, Mandya 571446	-	-
Karnataka KA, India, GSTIN: 29AAKCM1939M1ZT		

DETAILS PROVIDED BY CUSTOMER:

NAME OF THE PRODUCT	Organic Mandya Desi A2 Set Curd
SAMPLE DETAILS	B. No: B60331 DOM: 02/04/2026 Use By: 16/04/2026
TEST REQUIRED	Biological & Chemical Test
ANY OTHER INFORMATION	Sample Collected by Intertek Lab Representative: Mr. Naveen Sample Collected Date: 03.04.2026 & Time: 11:00am To 12:00pm Sample Collected Location: Mandya.

LAB INFORMATION:

SAMPLE REGISTRATION NUMBER	IFSH-260409133		
SAMPLE REGISTRATION DATE	09/04/2026		
ANALYSIS STARTING DATE	09/04/2026	ANALYSIS COMPLETION DATE	16/04/2026
SAMPLE QUANTITY RECEIVED	500gm X 1no	SAMPLE CONDITION	Intact
SAMPLE RECEIPT DATE	04/04/2026	REPORTING CODE	FS/CR/DR

OTHER INFORMATION:

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133-N

REPORT ISSUE DATE: 18.04.2026

Analytical Report

S.No.	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	MOU	LOQ	Result
1.	2,4-Dichlorophenoxy Acetic Acid	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
2.	Alachlor	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
3.	Alpha cypermethrin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
4.	Alpha naphthyl Acetic Acid	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
5.	Ametroctradin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
6.	Anilophos	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
7.	Atrazine	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
8.	Azimsulfuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
9.	Azoxystrobin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
10.	Benfuracarb	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
11.	Sum of benomyl and carbendazim expressed as carbendazim	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
12.	Bensulfuron Methyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
13.	Beta Cyfluthrin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
14.	Bispyribac Sodium	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
15.	Butachlor	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
16.	Captan	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
17.	Carfentrazone Ethyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
18.	Carpropamid	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
19.	Cartaphydrochloride	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
20.	Chlorflazuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
21.	Chlorimuron ethyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
22.	Chlormequat Chloride (CCC)	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
23.	Chlorpropham	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
24.	Chromafenozide	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
25.	Cinmethylen	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
26.	Clodinafop-propargyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
27.	Clomazone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
28.	Cyantranilipole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
29.	Cyazofamid	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
30.	Cyhalofop-butyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
31.	Cymoxanil	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
32.	Diafenthiuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
33.	Diclofop (sum diclofop-methyl and diclofop acid expressed as diclofop-methyl)"	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
34.	Diclosulam	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
35.	Dicofol	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
36.	Diflubenzuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
37.	Dimethomorph	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133-N

REPORT ISSUE DATE: 18.04.2026

S.No.	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	MOU	LOQ	Result
38.	Dinocap	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
39.	Dithianon	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
40.	Dithiocarbamates (Thiram as CS2)	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
41.	Diuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
42.	Dodine	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
43.	Epoxyconazole	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
44.	Ethephon	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
45.	Ethofenprox (Etofenprox)	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
46.	Ethoxysulfuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
47.	Etoazole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
48.	Famoxadone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
49.	Fenamidone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
50.	Fenarimol	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
51.	Fenazaquin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
52.	Fenobucarb (BPMC)	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
53.	Fenoxaprop-p-ethyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
54.	Fenpyroximate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
55.	Flonicamid	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
56.	Fluazifop-p-butyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
57.	Fluchloralin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
58.	Flufenacet	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
59.	Fluvalinate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
60.	Forchlorfenuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
61.	Fosetyl-Al	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
62.	Glufosinate Ammonium	IFSH/SOP/C/TE/008	mg/kg	0.02	-	0.01	Not Detected
63.	Glyphosate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
64.	Halosulfuron methyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
65.	Hexaconazole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
66.	Hexazinone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
67.	Hexythiazox	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
68.	Iodosulfuron Methyl Sodium	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
69.	Imazethapyr	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
70.	Iprobenfos (Kitazin)	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
71.	Iprodione	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
72.	Isoprothiolane	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
73.	Isoproturon	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
74.	Kasugamycin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
75.	Kresoxim Methyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
76.	Lambda cyhalothrin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
77.	Linuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
78.	Lufenuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
79.	Mandipropamid	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
80.	Mepiquat Chloride	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133-N

REPORT ISSUE DATE: 18.04.2026

S.No.	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	MOU	LOQ	Result
81.	Mesosulfuron Methyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
82.	Metaflumizone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
83.	Metalaxyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
84.	Metalaxyl-M	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
85.	Methabenzthiazuron	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
86.	Methyl Chlorophenoxy Acetic Acid (MCPA)	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
87.	Metolachlor	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
88.	Metribuzin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
89.	Metsulfuron Methyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
90.	Milbemectin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
91.	Orthosulfamuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
92.	Oxadiazyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
93.	Oxadiazon	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
94.	Oxyfluorfen	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
95.	Paclobutrazol	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
96.	Pencycuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
97.	Pendimethalin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
98.	Penoxuslum	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
99.	Permethrin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
100.	Picoxystrobin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
101.	Pinoxaden	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
102.	Pretilachlor	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
103.	Prohexadione calcium	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
104.	Propaquizafop	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
105.	Propargite	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
106.	Pyrazosulfuron ethyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
107.	Pyridalyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
108.	Pyriproxyfen	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
109.	Pyriithiolac Sodium	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
110.	Pymetrozine	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
111.	Quinalphos	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
112.	Quizalofop ethyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
113.	Quizalofop-P-tefuryl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
114.	Sodium Aceflourofen	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
115.	Spiromesifen	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
116.	Sulfosulfuron	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
117.	Thiodicarb	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
118.	Thiamethoxam	IFSH/SOP/C/TE/008	mg/kg	0.05	-	0.01	Not Detected
119.	Tolfenpyrad	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
120.	Triacantanol	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
121.	Trifloxystrobin	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
122.	Triallate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
123.	Triasulfuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
124.	Triazophos	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133-N

REPORT ISSUE DATE: 18.04.2026

S.No.	Test Parameter	Method	Unit of Measurement	As per FSSR 2011 Specifications	MOU	LOQ	Result
125.	Tricyclazole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
126.	Tridemorph	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
127.	Trifluralin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
128.	Validamycin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
129.	Fluopicolide	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
130.	Tembotrione	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
131.	Propanil	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
132.	Fluopyram and its metabolites	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
133.	Topramezone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
134.	Thiocyclam Hydrogen Oxalate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
135.	2,4-D Amine Salt	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
136.	Ametyrn	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
137.	Fomesafen	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
138.	Imazamox	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
139.	Spinetoram	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
140.	Sodium Para Nitro Phenolate	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
141.	Bentazone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
142.	Cyflumetofen	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
143.	Boscalid	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
144.	Flucetosulfuron	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
145.	Haloxypop-R Methyl	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
146.	Sulfentrazone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
147.	Spirotetramat	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
148.	Metrafenone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
149.	Fluxapyroxad	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
150.	Tetraconazole	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
151.	Abamectin	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
152.	Flupyradifurone	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
153.	Sulfoxaflor	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
154.	Hydrogen Cyanamide	IFSH/SOP/C/TE/137	mg/kg	0.01	-	0.01	Not Detected
155.	Paraquat dichloride	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
Banned Pesticides							
156.	Aldicarb (Sum of aldicarb, sulphone & Sulphoxide)	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
157.	Captafol	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
158.	Ferbam	IFSH/SOP/C/TE/008	mg/kg	0.1	-	0.01	Not Detected
159.	Ethyl parathion	IFSH/SOP/C/TE/008	mg/kg	0.01	-	0.01	Not Detected
160.	Endrin	IFSH/SOP/C/TE/008	µg/kg	0.01	-	0.01	Not Detected

Instrument Used: GC-MS/MS, LC-MS/MS, ICP-OES.

TEST REPORT

ANALYSIS REPORT NO. IFSH-260409133-N

REPORT ISSUE DATE: 18.04.2026

S. No	Test Parameter	Method	Unit of Measurement	MOU	As per FSSR 2011 Specifications	LOQ	Result
1.	Aflatoxin B1	IFSH/SOP/C/TE/006	µg/kg	-	-	1.00	Not Detected
2.	Aflatoxin B2	IFSH/SOP/C/TE/006	µg/kg	-	-	0.25	Not Detected
3.	Aflatoxin G1	IFSH/SOP/C/TE/006	µg/kg	-	-	1.00	Not Detected
4.	Aflatoxin G2	IFSH/SOP/C/TE/006	µg/kg	-	-	0.25	Not Detected
5.	Total Aflatoxin	IFSH/SOP/C/TE/006	µg/kg	-	-	-	Not Detected
6.	Ochratoxin A	IFSH/SOP/C/TE/007	µg/kg	-	-	1.00	Not Detected

Instrument Used: LC-MS/MS.


Note-01: The above results relate only to the sample tested.

Note-02: The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context.

Remarks: The above submitted sample conforms as per FSSR 2011 Specifications requirements for the above mentioned test parameters, where ever applicable.

*****END OF TEST REPORT*****

Authorized Signatory



CH. Shravan Kumar
Technical Manager