



TC- 5160

TEST REPORT

Intertek
Plot No. D-53, IDA, Phase-1,
Jeelimetla, Hyderabad - 500055
India

Tel +91 40 2319 5257
Fax +91 40 4201 5258
intertek.com

ANALYSIS REPORT NO. IFSH-260312127

REPORT ISSUE DATE: 20.03.2026

CLIENT/ISSUED TO	YOUR REF:	SCR
MANDYA ORGANIC FOOD PVT LTD	DATED:	11.03.2026
Gokul complex, Sampige Road, Malleshwaram, Bengaluru-560003	ULR NO:	TC516026000010379F

DETAILS PROVIDED BY CUSTOMER:

NAME OF THE PRODUCT	Swab
SAMPLE DETAILS	Drinage
TEST REQUIRED	Biological Test
ANY OTHER INFORMATION	Sample collected by Intertek Lab Representative: Naveen Sample collected Date: 11/03/2026, Time: 02:00 pm to 05:00 pm

LAB INFORMATION:

SAMPLE REGISTRATION NUMBER	IFSH-260312127		
SAMPLE REGISTRATION DATE	12/03/2026		
ANALYSIS STARTING DATE	12/03/2026	ANALYSIS COMPLETION DATE	17/03/2026
SAMPLE QUANTITY RECEIVED	1 No	SAMPLE CONDITION	Intact
SAMPLE RECEIPT DATE	12/03/2026	REPORTING CODE	FS/CR/TS

OTHER INFORMATION:

SAMPLE TESTED AS RECEIVED

ANALYTICAL REPORT

Discipline: Biological testing

Product Group: Pollution & Environmental

S. No.	Test Parameter	Method	Unit of Measurement	Result
1	Total Plate Count	IFSH/SOP/M/TE/017	Cfu/swab	350
2	Yeast & Moulds	IFSH/SOP/M/TE/017	Cfu/swab	<10
3	E. coli	IFSH/SOP/M/TE/017	Per swab	Absent
4	Coliforms	IFSH/SOP/M/TE/017	Cfu/swab	<10

Note-01: The above results relate only to the sample tested.

Note-02: The report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context.

*****END OF TEST REPORT*****

Authorized Signatory



G. Sonia Kumari
Assistant Manager -Microbiology

